ELSEVIER

Neuroscience Letters 337 (2003) 170–172

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 337

Aiso, S., see Nakahara, J., 73
Alafuzoff, I., see Mattila, K.M., 61
Andersen, O.K., see Sumikura, H., 147
Ando, R., see Tachibana, T., 131
Arendt-Nielsen, L., see Sumikura, H., 147
Arrue, A., Ruiz-Ortega, J.A., Ugedo, L., Giralt, M.T., Short-term effects of 3,4-methylenedioximethamphetamine on noradrenergic activity in locus coeruleus and hippocampus of the rat, 123
Asou, H., see Nakahara, J., 73
Axelman, K., see Lilius, L., 111

Bäcker, M., Hammes, M.G., Valet, M., Deppe, M., Conrad, B., Tölle, T.R., Dobos, G., Erratum to "Different modes of manual acupuncture stimulation differentially modulate cerebral blood flow velocity, arterial blood pressure and heart rate in human subjects" [Neurosci. Lett. 333 (2002) 203–206], 117
Bai, C.-X., Glaaser, I.W., Sawanobori, T., Sunami, A., Involvement of local anesthetic binding sites on IVS6 of sodium channels in fast and slow inactivation, 41
Bammler, T.K., see Kelada, S.N., 5
Barker, J.L., see Zhang, L., 65
Boldogkői, Z., see Helfferich, F., 151
Bundo, M., see Yamada, T., 21

Cavallaro, S., see Di Mauro, M., 97
Checkoway, H., see Kelada, S.N., 5
Chen, X.-Q., see Zhao, X.-Y., 33
Chung, J.M., see Kim, C., 81
Chung, K., see Kim, C., 81
Ciranna, L., see Di Mauro, M., 97
Conrad, B., see Bäcker, M., 117
Cui, S., see Zang, Y., 69

De Vera, L., see Pereda, E., 101
Denbow, D.M., see Tachibana, T., 131
Deniskina, N.B., see Solopova, I.A., 25
Deppe, M., see Bäcker, M., 117
Di Mauro, M., Cavallaro, S., Ciranna, L., Pituitary adenylate cyclase-activating polypeptide modifies the electrical activity of CA1 hippocampal neurons in the rat, 97
Dixon, A.K., see Nicholson, R., 119
Dobos, G., see Bäcker, M., 117
Drewes, A.M., see Sumikura, H., 147

Eaton, D.L., see Kelada, S.N., 5
Eblen-Zajjur, A., see Glykys, J., 167
Egashira, N., see Mishima, K., 56

Farin, F.M., see Kelada, S.N., 5
Feng, X., see Zhang, L., 65
Forsell, C., see Lilius, L., 111
Franklin, G.M., see Kelada, S.N., 5
Fujiwara, M., see Mishima, K., 56
Furuse, M., see Tachibana, T., 131

Garrido, J.M., see Pereda, E., 101
Giralt, M.T., see Arrue, A., 123
Glaaser, I.W., see Bai, C.-X., 41
Glykys, J., Guadama, M., Marcano, L., Ochoa, E., Eblen-Zajjur, A., Inflammation induced increase of fluoride resistant acid phosphatase (FRAP) activity in the spinal dorsal horn in rats, 167
González, J.J., see Pereda, E., 101
Graff, C., see Lilius, L., 111
Grigoryan, E.N., Vasilaki, A., Mastrodimou, N., Thermos, K., Somatostatin receptor immunoreactivity in the eye of the adult newt (Pleurodeles waltlii Michan), 143
Guadama, M., see Glykys, J., 167

Hamamura, T., see Nakata, K., 17
Hammes, M.G., see Bäcker, M., 117
Harada, N., see Shen, J., 135
Hashikawa, T., see Tochitani, S., 114
Hazeltine, E., see Zang, Y., 69
Helfferich, F., Uhereczky, G., Boldogkői, Z., Vitéz, L.C., Palkovits, M., Investigation of the complex descending innervation of the dorsal cochlear nucleus in the rat: a transneuronal tract-tracing study using pseudorabies virus, 151
Hibino, H., see Umekage, T., 13
Hidaka, R., see Mishima, K., 56
Hiltunen, M., see Mattila, K.M., 61
Hitchcock, P.F., see Ruiz-Ederra, J., 127
Hori, Y., see Otsubo, T., 139
Horibe, K., see Yamada, T., 21
Horikoshi, T., see Tsubata, N., 46
Hu, G.-Y., see Zhao, X.-Y., 33

Iizuka, A., see Tsubata, N., 46
Imamura, T., see Nakata, K., 17
Ito, K., see Yamada, T., 21
Ito, S., see Yonekubo, K., 89
Ivanenko, Y.P., see Solopova, I.A., 25
Ivry, R., see Zang, Y., 69
Iwasaki, K., see Mishima, K., 56

Jang, M.-H., Shin, M.-C., Koo, G.-S., Lee, C.-Y., Kim, E.-H., Kim, C.-J., Acupuncture decreases nitric oxide synthase expression in periaqueductal gray area of rats with streptozotocin-induced diabetes, 155

doi:10.1016/S0304-3940(03)00045-4

Jia, F., see Zang, Y., 69
Johnson, G., Moore, S.W., Human acetylcholinesterase binds to mouse laminin-1 and human collagen IV by an electrostatic mechanism at the peripheral anionic site, 37
Jones, T.A., see Sakata, J.T., 159

Kaang, B.-K., see Lee, J.-A., 9
Kachi, T., see Yamada, T., 21
Karube, Y., see Mishima, K., 56
Kato, C., see Umekage, T., 13
Kato, N., see Umekage, T., 13
Kato, T., see Yamada, T., 21
Katsu, T., see Nakata, K., 17
Kazennikov, O.V., see Solopova, I.A., 25
Kelada, S.N., Stapleton, P.L., Farin, F.M., Bammler, T.K., Eaton, D.L., Smith-Weller, T., Franklin, G.M., Swanson, P.D., Longstreth Jr, W.T., Checkoway, H., Glutathione S-transferase M1, T1, and P1 Polymorphisms and Parkinson's Disease, 5
Kim, C., Chung, J.M., Chung, K., Changes in the gene expression of six subtypes of P2X receptors in rat dorsal root ganglion after spinal nerve ligation, 81
Kim, C.-J., see Jang, M.-H., 155
Kim, E.-H., see Jang, M.-H., 155
Kim, H., see Lee, J.-A., 9
Kohda, K., see Umekage, T., 13
Kolomytkin, O., see Sonnier, H., 163
Komatsu, Y., see Kurotani, T., 1
Koo, G.-S., see Jang, M.-H., 155
Kuroda, S., see Nakata, K., 17
Kurotani, T., Yoshimura, Y., Komatsu, Y., Postsynaptic firing produces long-term depression at inhibitory synapses of rat visual cortex, 1

Laippala, P., see Mattila, K.M., 61
Lee, C.-Y., see Jang, M.-H., 155
Lee, J.-A., Kim, H., Lee, Y.-S., Kaang, B.-K., Overexpression and RNA interference of Ap-cyclic AMP-response element binding protein-2, a repressor of long-term facilitation, in *Aplysia kurodai* sensory-to-motor synapses, 9
Lee, K., see Nicholson, R., 119
Lee, Y.-S., see Lee, J.-A., 9
Lehtimäki, T., see Mattila, K.M., 61
Levik, Y.S., see Solopova, I.A., 25
Li, E., see Zang, Y., 69
Li, P.-P., see Zhang, L., 65
Li, Y., see Zhao, X.-Y., 33
Lilius, L., Forsell, C., Axelman, K., Winblad, B., Graff, C., Tjernberg, L., No association between polymorphisms in the neprilysin promoter region and Swedish Alzheimer's disease patients, 111
Longstreth Jr, W.T., see Kelada, S.N., 5
López, S., see Pereda, E., 101

Mañas, S., see Pereda, E., 101
Mannermaa, A., see Mattila, K.M., 61
Marcano, L., see Glykys, J., 167
Marino, A., see Sonnier, H., 163
Marui, T., see Umekage, T., 13
Mastrodimou, N., see Grigoryan, E.N., 143
Matsunaga, K., see Mishima, K., 56
Mattila, K.M., Hiltunen, M., Rinne, J.O., Mannermaa, A., Röyttä, M., Alafuzoff, I., Laippala, P., Soininen, H., Lehtimäki, T., Absence of association between an intercellular adhesion molecule 1 gene E469K polymorphism and Alzheimer's disease in Finnish patients, 61
Mazzio, E., Soliman, K.F.A., Pyruvic acid cytoprotection against 1-methyl-4-phenylpyridinium, 6-hydroxydopamine and hydrogen peroxide toxicities in humans, 77
Mellodew, K., see Modo, M., 85
Meng, F., see Zhang, Q., 51
Meng, H., Sakakibara, M., Nakazawa, H., Tokimasa, T., Pyridoxalphosphate-6-azophenyl-2′,4′-disulfonic acid can antagonize the purinoceptor-mediated inhibition of M-current in bullfrog sympathetic neurons, 93
Mishima, K., Tanaka, T., Pu, F., Egashira, N., Iwasaki, K., Hidaka, R., Matsunaga, K., Takata, J., Karube, Y., Fujiwara, M., Vitamin E isoforms α-tocotrienol and γ-tocopherol prevent cerebral infarction in mice, 56
Modo, M., Mellodew, K., Rezaie, P., In vitro expression of major histocompatibility class I and class II antigens by conditionally immortalized murine neural stem cells, 85
Moore, S.W., see Johnson, G., 37

Nagai, T., see Otsubo, T., 139
Nakahara, J., Seiwa, C., Shibuya, A., Aiso, S., Asou, H., Expression of Fc receptor for immunoglobulin M in oligodendrocytes and myelin of mouse central nervous system, 73
Nakamura, A., see Yamada, T., 21
Nakamura, Y., see Otsubo, T., 139
Nakata, K., Ujike, H., Sakai, A., Uchida, N., Nomura, A., Imamura, T., Katsu, T., Tanaka, Y., Hamamura, T., Kuroda, S., Association study of the brain-derived neurotrophic factor (BDNF) gene with bipolar disorder, 17
Nakazawa, H., see Meng, H., 93
Nicholson, R., Small, J., Dixon, A.K., Spanswick, D., Lee, K., Serotonin receptor mRNA expression in rat dorsal root ganglion neurons, 119
Nishino, K., see Soga, Y., 106
Nomura, A., see Nakata, K., 17

Ochoa, E., see Glykys, J., 167
Ohgushi, A., see Tachibana, T., 131
Ohta, T., see Yonekubo, K., 89
Otani, T., see Umekage, T., 13
Otsubo, T., Nakamura, Y., Nagai, T., Hori, Y., Facilitatory action of halothane at subanesthetic concentrations on glutamatergic excitatory synaptic transmission in the CA1 area of adult rat hippocampus, 139

Palkovits, M., see Helfferich, F., 151
Pereda, E., Mañas, S., De Vera, L., Garrido, J.M., López, S., González, J.J., Non-linear asymmetric interdependencies in the electroencephalogram of healthy term neonates during sleep, 101
Pu, F., see Mishima, K., 56

Rezaie, P., see Modo, M., 85
Rinne, J.O., see Mattila, K.M., 61
Röyttä, M., see Mattila, K.M., 61
Rubinow, D.R., see Zhang, L., 65
Ruiz-Ederra, J., Hitchcock, P.F., Vecino, E., Two classes of astrocytes in the adult human and pig retina in terms of their expression of high affinity NGF receptor (TrkA), 127
Ruiz-Ortega, J.A., see Arrue, A., 123

Sakai, A., see Nakata, K., 17
Sakakibara, M., see Meng, H., 93

Sakakibara, M., see Tsubata, N., 46
Sakata, J.T., Jones, T.A., Synaptic mitochondrial changes in the motor cortex following unilateral cortical lesions and motor skills training in adult male rats, 159
Sasaki, T., see Umekage, T., 13
Sawanobori, T., see Bai, C.-X., 41
Seib, L.M., Wellman, C.L., Daily injections alter spine density in rat medial prefrontal cortex, 29
Seiwa, C., see Nakahara, J., 73
Shen, J., Harada, N., Yamashita, T., Nitric oxide inhibits adenosine 5′-triphosphate-induced Ca^{2+} response in inner hair cells of the guinea pig cochlea, 135
Shibuya, A., see Nakahara, J., 73
Shin, M.-C., see Jang, M.-H., 155
Small, J., see Nicholson, R., 119
Smith, S.V., see Zhang, L., 65
Smith-Weller, T., see Kelada, S.N., 5
Sobue, G., see Yamada, T., 21
Soga, Y., Yamanaka, R., Nishino, K., Tanaka, R., CCAAT/enhancer binding proteins are expressed in the gerbil hippocampus after transient forebrain ischemia, 106
Soininen, H., see Mattila, K.M., 61
Soliman, K.F.A., see Mazzio, E., 77
Solopova, I.A., Kazennikov, O.V., Deniskina, N.B., Levik, Y.S., Ivanenko, Y.P., Postural instability enhances motor responses to transcranial magnetic stimulation in humans, 25
Sonnier, H., Kolomytkin, O., Marino, A., Action potentials from human neuroblastoma cells in magnetic fields, 163
Spanswick, D., see Nicholson, R., 119
Stapleton, P.L., see Kelada, S.N., 5
Sumikura, H., Andersen, O.K., Drewes, A.M., Arendt-Nielsen, L., A comparison of hyperalgesia and neurogenic inflammation induced by melittin and capsaicin in humans, 147
Sunami, A., see Bai, C.-X., 41
Swanson, P.D., see Kelada, S.N., 5

Tachibana, T., Takagi, T., Tomonaga, S., Ohgushi, A., Ando, R., Denbow, D.M., Furuse, M., Central administration of cocaine- and amphetamine-regulated transcript inhibits food intake in chicks, 131
Takagi, T., see Tachibana, T., 131
Takata, J., see Mishima, K., 56
Tanaka, R., see Soga, Y., 106
Tanaka, T., see Mishima, K., 56
Tanaka, Y., see Nakata, K., 17
Thermos, K., see Grigoryan, E.N., 143
Tian, H., see Zhang, Q., 51
Tjernberg, L., see Lilius, L., 111
Tochigi, M., see Umekage, T., 13
Tochitani, S., Hashikawa, T., Yamamori, T., Expression of *occ1* mRNA in the visual cortex during postnatal development in macaques, 114
Tokimasa, T., see Meng, H., 93
Tölle, T.R., see Bäcker, M., 117
Tomonaga, S., see Tachibana, T., 131
Tsubata, N., Iizuka, A., Horikoshi, T., Sakakibara, M., Photoresponse from the statocyst hair cell in *Lymnaea stagnalis*, 46

Uchida, N., see Nakata, K., 17
Ugedo, L., see Arrue, A., 123
Uhereczky, G., see Helfferich, F., 151
Ujike, H., see Nakata, K., 17
Umekage, T., Tochigi, M., Marui, T., Kato, C., Hibino, H., Otani, T., Kohda, K., Kato, N., Sasaki, T., Serotonin transporter-linked promoter region polymorphism and personality traits in a Japanese population, 13

Valet, M., see Bäcker, M., 117
Vasilaki, A., see Grigoryan, E.N., 143
Vecino, E., see Ruiz-Ederra, J., 127
Vitéz, L.C., see Helfferich, F., 151

Wang, Y., see Zang, Y., 69
Wang, Y., see Zhao, X.-Y., 33
Washimi, Y., see Yamada, T., 21
Wellman, C.L., see Seib, L.M., 29
Weng, X., see Zang, Y., 69
Winblad, B., see Lilius, L., 111

Yamada, T., Nakamura, A., Horibe, K., Washimi, Y., Bundo, M., Kato, T., Ito, K., Kachi, T., Sobue, G., Asymmetrical enhancement of middle-latency auditory evoked fields with aging, 21
Yamamori, T., see Tochitani, S., 114
Yamanaka, R., see Soga, Y., 106
Yamashita, T., see Shen, J., 135
Yang, H.-H., see Zhao, X.-Y., 33
Yonekubo, K., Ohta, T., Ito, S., Two distinct inhibitory actions of steroids on cholinoceptor-mediated secretion of catecholamine from guinea-pig adrenal medullary cells, 89
Yoshimura, Y., see Kurotani, T., 1
Yue, J.-M., see Zhao, X.-Y., 33

Zang, Y., Jia, F., Weng, X., Li, E., Cui, S., Wang, Y., Hazeltine, E., Ivry, R., Functional organization of the primary motor cortex characterized by event-related fMRI during movement preparation and execution, 69
Zhang, G., see Zhang, Q., 51
Zhang, L., Li, P.-P., Feng, X., Barker, J.L., Smith, S.V., Rubinow, D.R., Sex-related differences in neuronal cell survival and signaling in rats, 65
Zhang, Q., Zhang, G., Meng, F., Tian, H., Biphasic activation of apoptosis signal-regulating kinase 1-stress-activated protein kinase 1-c-Jun N-terminal protein kinase pathway is selectively mediated by Ca^{2+}-permeable alpha-amino-3-hydroxy-5-methyl-4-isoxazolepropionate receptors involving oxidative stress following brain ischemia in rat hippocampus, 51
Zhao, X.-Y., Wang, Y., Li, Y., Chen, X.-Q., Yang, H.-H., Yue, J.-M., Hu, G.-Y., Songorine, a diterpenoid alkaloid of the genus *Aconitum*, is a novel $GABA_A$ receptor antagonist in rat brain, 33